


STREET FURNITURE

**URBANI
MOBILIJAR**





Barikadni
stub

Barricade pillar





Kanta za
otpatke

Trash can



Klupa 1

Bench 1





Description

Concrete fountain Stara Smreka

is a decorative yard element made of concrete with the most modern additives. Detail that adorns the yard of the cottage, home, garden, public areas. The age-appropriate effect is obtained with a special manufacturing technique and is associated with former times and the then way of building, shaping and decorating yard details. Significantly raises the value of the object and the overall visual experience.



Concrete fountain Stara Smreka

is made of Profi cement brand 42.5 na and a mixture of quartz and river sand with the addition of adequate plasticizers and elasticizers that guarantee longevity. The fountain is made entirely of concrete and longevity is guaranteed,

The Stara Smreka concrete fountain is made with special techniques of applying, layering and drying paint.

Technical details

The fountain is placed on a previously reinforced concrete slab with minimum dimensions of 70x70cm, which is the size of the base, but it is recommended that it be at least 20% larger, ie 90x90cm and 10cm thick. An opening in the form of a hole with a diameter of 30 cm for the supply and drainage should be left in the plate immediately, because the sink is also a pedestal and rests its entire surface on the ground. Another advantage of concrete elements is that they do not require any additional maintenance even after a few years. Dust and dry rainwater are almost invisible. Do not wash the tap with abrasives or chemicals that contain thinners, alcohols or hydrochloric acid..

The fountain has a total height of 106 cm, height to the tap 92 cm and consists of five folded parts

- stand 52 x 34 x 26cm (l / w / h)
- sink with hole for drain and PVC drain 050 35 x 27 x 25cm column part, 33 x 55cm trough, 57cm total depth "to the wall" (l / w / h)
- pillar 27 x 34 x 25 cm (l / w / h) (32 x 39 cm with sims)
- pole with tap hole 27 x 34 x 25 cm (l / w / h) (32 x 39cm with sims)
- cover 33 x 43 x 7cm (l / w / h)

Fixing is done with construction adhesives or cement mortar. The pole is then mounted in a bearing on the back of the sink, the installation is pulled out through an opening in the pole and a faucet is mounted. Before installing the cover, be sure to put the tap into operation to check the joints. The tap opening is at a height of 90 cm from the ground.